

**A METHOD AND SYSTEM FOR POSTAGE METER ACCOUNTING UTILIZING A  
WEB BROWSER IN A POSTAL OR SHIPPING SYSTEM**

**Related Applications**

Reference is made to Application Serial Number \_\_\_\_\_ (Attorney Docket No. F-112) entitled "A Method And System For Batch Mail Processing Utilizing A Web Browser In A Postal Or Shipping System" assigned to the assignee of this application and filed contemporaneously hereto.

Reference is made to Application Serial Number \_\_\_\_\_ (Attorney Docket No. F-113) entitled "A Method And System For Preparing And Distributing Carrier Delivery Confirmation Via The Web" assigned to the assignee of this application and filed contemporaneously hereto.

Reference is made to Application Serial Number \_\_\_\_\_ (Attorney Docket No. F-114) Entitled "A Method And System For Refilling A Meter With Postage Over The Internet" assigned to the assignee of this application and filed contemporaneously hereto.

Reference is made to Application Serial Number \_\_\_\_\_ (Attorney Docket No. 115) entitled "A Method And System for Postage Meter Asset Management Using A Web Browser Based Postal Mail Shipping System" assigned to the assignee of this application and filed contemporaneously hereto.

**Field of the Invention**

The present invention relates generally to the field of mail piece and/or parcel processing in a network and, more specifically, to the field of meter asset management

functionality integrated within an Internet or intranet data processing environment. Specifically, the present invention provides a method and system for postage meter cost accounting in a web-based system.

### **Background of the Invention**

5 Business planning and organization often depends upon the ability of systems to accurately process up-to-date information. This processing includes the management of information, which enables the daily operations of the business and includes such functions as accounting for operational funds including funds used for postal processing. Businesses, large and small, require the same understanding as to where and how funds are used within the business. Firms may separate their mailroom operations by department, division or a variety of organizational units, each of which requires authorized transfer of postal funds to transact daily business. In managing a firm's assets, it has become important for firms to account for all used funds, including postage meter funds used by the individual organizations or employees within a firm. This includes enabling cost accounting of postal funds debited from all meters in a firms.

Postal processing can be described as two distinctive areas: shipping/carrier and mailing systems. Both systems require the application of funds in order to enable postal processing.

Systems that allow the user to process parcels for delivery by a carrier are known  
20 as "shipping systems"; or, if the intent of the system is to allow the user to choose from among the services of more than one carrier, the system may be known as a "carrier management system". Carrier management systems are referred to as "shipping

systems" and are designed to prepare parcels in accordance with the regulations of the carrier that will be transporting the parcels for later delivery. Systems that allow the processing and delivery of individual mail pieces are generally referred to as "mailing systems". Mailing systems may simply include a postage meter for printing postage payment evidencing on an envelope; or, they may be sophisticated systems for complete mail piece processing. These systems may include a scale for weighing the mail piece and for determination of the postage amount. In addition, these systems may integrate the ability to print and personalize a document, match an envelope to the document, include preprinted sheets, with the mail piece, accumulate, fold and insert the completed mail piece into an envelope to be sealed.

Traditional configurations of shipping include low-end embedded systems; mid-range personal computer-(PC) based systems; and upper and mid-mainframe-based systems.

Embedded systems, where the shipping application is embedded within a shipping scale, generally include PROM-based rating tables and their associated functionality. Data entries to the application are made via an operator keypad on the front of the scale or by scanning bar codes or similar symbology directly to certain fields within the application. Table data and certain rating functionality are generally added through the use of PROM's. These systems might also interface to a postage meter for producing proof of payment for a carrier such as the United States Postal Service (USPS).

PC-based systems are more flexible than embedded systems because they allow a greater range of peripherals, greater memory capability, networking capabilities

via the Internet or an intranet, and the ability to store records and addresses lists while accepting data download in a variety of ways. Rating and services functionality are also directed from the application, while the system shops for an appropriate rate from a database residing in a memory contained within a PC or from a rating table directed by a server. Address lists can be stored or forwarded as well. The ability of the PC-based system to provide a communications link to a network while allowing integration with a client's information systems is perhaps the greatest strength of these systems. Network links via the Internet provide the system with an interface to a greater number and variety of carriers' web sites, increased functionality, and parcel tracking. Additionally, data relevant to shipping history for a particular location or historical manifest data can be downloaded or uploaded in a quick and efficient manner as necessary.

The PC-based systems offer much the same functionality as the upper end and mid main frame systems. The upper systems, however, offer the advantage of exceptional processing speed while handling large volumes of transaction data or performing multi-tasking of application services, as well as application level integration with client systems.

Traditional mailing systems include dedicated systems used for metering or integrated systems including PC processing in which a document may be created and metered for delivery. These systems have been designed to service the small and large office based in part on volume and processing requirements. For example, some mailing systems may include only a meter for marking a mail piece with a designated amount of postage, while other systems couple the meter to a scale which enables automatic application of postal rate requirements. Still other mailing systems include a

PC for enabling document creation, printing and enveloping before applying metered evidence of postage payment.

Shipping and mailing systems have both benefited from the efficiencies associated with PC-based systems and applications. Labels can be printed at the desktop; weighing scales are interconnected to PC's for inputting weight to parcel shipping applications; and manifests for recording the details of parcel pickup and delivery are printed at the desktop as well. Furthermore, document creation, address cleansing and, in general, mail processing have also been advanced with the use of a PC. Address peripherals, such as postage meters for payment evidencing, and other input devices can also be added for increased data delivery.

In an enterprise environment which employs PC-based shipping or mailing systems serving as a stand alone system, or one that is part of a local area network (LAN), or even a wide area network (WAN), the ability to account for meter assets has become important. In other words, firms have become highly concerned with accounting for postage meter fund usage. One system that has addressed this issue, ASCENT®, is commercially available from Pitney Bowes Inc., of Stamford, CT. The ASCENT® system is a dedicated system that offers multi-carrier automated processing designed to maximize the productivity of mail or shipping room centers.

ASCENT® manages mail, small parcel, air express, international, and regional or courier services in one system. The system includes delivery confirmation support, cost-saving electronic data transmission, integrated tracking, and barcode label printing. Also provided is differential weighing, which provides efficient processing of mixed

weight envelopes and flats. As well, the system automates processing of certified mail and return receipt forms.

Currently, however, there exists no effective way to provide a postage meter cost accounting system using an Internet browser for Internet-based applications being directed from a server. A browser-based system would eliminate the requirement for dedicated systems, thus enabling a broader range of customer access to both the shipping/carrier and mailing systems. Furthermore, a browser based system would provide an easily scalable solution to both small businesses and large enterprise environments. Browser based systems are also less expensive because very little custom software is required at the client. Therefore, a method and system are required that allow a system user to manage meter asset functionality directly from an Internet or intranet-based application, while utilizing a browser.

### **Summary of the Invention**

The present invention provides a web-based shipping and mailing application for supporting meter cost accounting operations while maintaining functionality similar to PC-based applications. In the present invention, a meter cost accounting operation is integrated within an Internet web browser which enables greater populations to enjoy the benefits and advantages of metered mail. The invention is designed to be scalable to both homes and small business as well as large distributed enterprises due to the low cost and ease of the distribution of the system compounded by the low cost of maintaining the system.

A postage meter/mailing machine is operatively connected to a personal computer or Internet appliance, i.e., the client. The client is running an Internet web browser and is connected to the Internet or a corporate intranet. There is also a driver running on the client for communicating with the meter. The client connects to the web server over the Internet or intranet. The server, which contains all the software necessary to support traditional mailing and shipping applications, is running the web-based shipping and mailing application. Such software is known generally in the art of mailing and shipping systems and is capable of supporting, for example, Meter Cost Accounting, Rating, User Information, etc. The centralization of this sophisticated software also enables a reduction in cost to the user.

The system of the present invention comprises a web site for a provider server and a client node in communication with the provider server. The web site further comprises provider web pages and script functionality resident in the provider web pages for linking with a meter driver resident in a client computer that is in communication with a meter attached at the client node. The client node can be one of a plurality of client nodes that is linked to the system. At least one client must be operatively connected to a meter.

The meter at the client node further comprises: a meter driver; a meter server resident first at the client computer but callable under control of the script functionality; and, script activation capability for allowing the script at the web site to link with the meter by utilizing the meter driver.

The method is initiated by calling a web site associated with the provider server from the client node by utilizing a communications link for linking the web sites and the

meter at the client node. The communications link comprises: a browser for accessing the web site by the client node; a network interface routine for allowing access to a network wherein the web site resides; and communications means for physically interfacing the meter with the client node and ultimately with the network itself.

5           The client node requests that a meter activation routine be activated at the web site for download to the client. The routine includes the use of script (such as JAVASCRIPT™ commercially available from Sun Microsystems, Inc. of Palo Alto, California) to call an ACTIVE X™ automation server. ACTIVE X™ is a set of integration technologies that enables software components to inter-operate in a networked environment using any programming language. A list of accounts is then displayed, and a user selects an account number for which transactions are to be charged. Meter transactions are then performed, and data is obtained from the meter; representative data includes batch count, values, and piece count. The cost accounting table located on the web server is updated to reflect the amount spent by the unit. The updated information may then be transferred directly to the user's accounting system. This may be done via file transfer use of an (XML) intended markup language, screen scraping, or application program interface (API).

### **Brief Description of the Drawings**

**FIG. 1** is a block diagram of the overall system of the present invention.

**FIG. 2A** is a flowchart of the method of the present invention.



**FIG. 2B** is a continuation of the flowchart of **FIG. 2A** which illustrates the method of the present invention.

### Detailed Description of the Embodiments

Now turning to **FIG. 1**, there is shown a block diagram of system **10** of the present invention showing the system flow between each of the high-level components situated in either an Internet or an intranet environment. System **10** includes client computer **20**, which may be a PC or a thin client network computer such as a PALM PILOT™ available commercially from 3Com of Santa Clara, California. Client computer **20** is operatively connected to meter **30** (which can be a postage meter) through a communications cable such as an RS232 protocol cable. Client computer **20** (also PC **20**) further includes web browser **70** (also known as a web client).

A web browser is software that makes it easy to access information on the Internet. Browser software interprets the Hyper Text Markup Language (HTML) codes in web pages so that the pages can be viewed in a readable format. The browser software enables a specific connection to a network address called a Uniform Resource Locator (URL), which sends a request to web server **90** for that particular addressed document, i.e.: web page **80**. Web server **90** responds by sending to web page **80** text and/or other media such as video and/or audio for use by PC **20**. Web page **80** is sent in the HTML format. A scripting language such as JAVASCRIPT™, enables communication between the application and meter server **50**. Meter server **50** is an application program which provides an interface to script **60** such that a script call can then perform certain functions. Web server **90** also may provide an interface **120** with customer accounting system (not shown) and enables transfer of account data through

terminal emulation, file transfer, XML, API or any other means of transferring data to an accounting system.

JAVASCRIPT™ is a compact, object-based scripting language for developing client and server Internet applications. JAVASCRIPT™ is included in web pages and  
5 run with a web browser. In addition, JAVASCRIPT™ can implement programmer-defined functions, which can create interactive client side pages.

Meter server 50 and meter driver 40 enable communication using JAVASCRIPT™ between meter 30 and Browser 70. Communication may be accomplished using object-oriented programming. Object oriented design (OOD)  
10 programming languages are useful in removing some of the restrictions that have hampered application design due to the inflexibility of traditional programming languages.

OOD utilizes a basic element or construct known as the "object," which combines both a data structure and an intended behavior characteristic within the single element. Objects are bundles of data and the procedures which best identify the use of that data. Objects can be specific or conceptual and are often used to represent models of real-world object groupings; this has the effect of helping software applications become an  
15 organized collection of discrete objects in which data is held or moved based on the intended behavior of an object which is inherently unique. Each object knows how to  
20 perform some activity.

The objects interact and communicate with each other via messages. A message is initiated by one object for the purpose of getting a second message to perform an act such as performing the steps of a method. Information parameters may be passed

along with the message so that the receiving object will have guidelines for performing its action. OOD is known in the art of computer programming; therefore, a detailed description is not necessary for an understanding of this invention.

Returning to **FIG. 1**, web server **90** communicates with database server **100** using a server side scripting language and or data base objects, which in turn communicates with at least one cost accounting table **110**. Cost accounting table **110** includes data such as, for example: the date, transaction identification, account number, description, account, and the total count of pieces processed by meter **30**. Cost accounting table **110** may be separated into two tables: a meter table and an account table. The meter table would include the date, transaction identification, amount number and number of pieces. The account table would include an account number and a description.

Now turning to **FIG. 2A**, there is shown a flowchart of the operation of the cost accounting system of the present invention. The method begins at step **200** where the user initiates the system. The user requests the appropriate web page **80** by inputting the associated URL at step **210**. The method advances to step **220** where web page **80** is returned to PC **20** from web server **90**.

The method then advances to step **230** where JAVASCRIPT™ **60** instantiates meter server **50** on client computer **20** before continuing to step **240**. At step **240**, accounts are selected from the account table and displayed before advancing to step **250** where the system queries as to whether or not the user will select an account from the account table **110**. If the answer to the query is "YES," then the method proceeds to step **270** where the user selects the account number before proceeding along path **A** to

step **280** as is shown in **FIG. 2B**. If, however, the answer to the query at step **250** is "NO," then the method progresses to step **260** where the user manually enters an account number before advancing along path **A**.

Now turning to **FIG. 2B** the method re-enters the path at connector **A** and progresses to step **280** where the method queries as to whether or not to begin a batch transaction. If the answer to the query is "YES", then the method continues to step **290** where the meter transaction is performed. If, however, the answer to the query is "NO," then the method ends at step **330**.

From step **290**, the method advances at step **280** to step **300**. At step **300**, data values are obtained from the meter server, such as batch, count, batch value, piece count, postage, etc. Batch is a group of mail pieces being processed at the same time against the same account number. Batch Count is the number of mail pieces in the batch. Batch Value is the total value of the postage in the batch of mail. Piece Count is the total number of mail pieces processed. Postage is the postage of each piece of mail processed.

The method then advances to step **310**. At step **310**, the cost accounting table is updated, and then at step **320**, the data is sent to the customer's accounting system. The method ends at step **330**. The web server updates the cost accounting tables with the transaction data and time, transaction identification, an account number, description, the amount of the transaction, and the number of mail pieces processed. The transaction may then be sent to the customer's account system via XML, terminal emulation, API or any other appropriate means of data transfer.

The above specification describes a new and improved system and method for automatically transferring information in a data processing system. It is realized that the above description may indicate to those skilled in the art additional ways in which the principles of this invention may be used without departing from the spirit of the invention. It is, therefore, intended that this invention be limited only by the scope of the appended claims.

002627" 06084200